# **SAFETY DATA SHEET**



Date Issued: 12/12/2014
SDS No: NovaFount FS-507

**Date Revised :** 01/02/2019

Revision No: 3

#### 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT DESCRIPTION: One Step Acid Fountain Solution

PRODUCT CODE: FS-507

## **MANUFACTURER**

Nova Pressroom Products 1663 North McDuff Avenue Jacksonville, FL 32254

**Alternate Contact:** (866) 443-5811 **Customer Service:** (904) 292-2554 **Transportation:** (800) 424-9300

Fax: 904) 389-6999

E-Mail: info@novapressroom.com

24 HR. EMERGENCY TELEPHONE NUMBERS
Chemtrec (US and Canada): +1-800-424-9300

#### 2. HAZARDS IDENTIFICATION

## **GHS CLASSIFICATIONS**

#### Health:

Skin Irritation, Category 3
Eye Irritation, Category 2A
Reproductive Toxicity, Category 2

#### **GHS LABEL**



Exclamation mark



Health hazard

# SIGNAL WORD: WARNING HAZARD STATEMENTS

H319: Causes serious eye irritation. H316: Causes mild skin irritation.

H361: Suspected of damaging fertility or the unborn child

## PRECAUTIONARY STATEMENTS

#### Prevention:

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

P264: Wash hands thoroughly after handling.

P202: Do not handle until all safety precautions have been read and understood.

P201: Obtain special instructions before use.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

## Response:

P312: Call a POISON CENTER/doctor/...if you feel unwell.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P311: IF exposed or concerned: Call a POISON CENTER or doctor.

## Storage:

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

## Disposal:

P501: Dispose of contents/container in accordance with local regulations.

#### **EMERGENCY OVERVIEW**

PHYSICAL APPEARANCE: Amber liquid with mild odor

#### POTENTIAL HEALTH EFFECTS

**EYES:** Contact may cause eye irritation. **SKIN:** Contact may cause skin irritation.

**INGESTION:** Ingestion may cause irritation to the gastrointestinal tract.

**INHALATION:** Inhalation may cause irritation to the respiratory tract.

**MEDICAL CONDITIONS AGGRAVATED:** Significant chronic exposure may aggravate existing eye, skin, auditory (hearing), respiratory system, liver, kidney, and CNS conditions.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Propylene Glycol Monobutyl Ether	10 - 20	5131-66-8
Acetic Acid	1 - 5	64-19-7
Proprietary - 10146	~ 2	Mixture
Sodium Hydroxide	< 2	1310-73-2
1.5% Isothiazolinone Mixture	< 1	Mixture
Sodium Tetraborate	< 1	1330-43-4

#### 4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. If irritation persists, seek medical attention.

**SKIN:** Wash skin with soap and water. If irritation develops or persists, seek medical attention.

**INGESTION:** Seek immediate medical advice. Do not induce vomiting unless instructed to do so by poison center or physician.

INHALATION: Remove person to fresh air. If breathing becomes difficult, seek medical attention.

## 5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: None

**EXTINGUISHING MEDIA:** Foam, dry chemical; use water spray to cool exposed surfaces. Evacuate area and fight fire from a safe distance if fire is contained in a small area; otherwise, call the local fire department. Fire media runoff may damage the environment. Dike and collect media used to fight fire.

**OTHER CONSIDERATIONS:** Vapors are heavier than air and may accumulate in low or inadequately ventilated areas. Vapors may travel along the ground to be ignited at locations distant from the handling site. Flashback or flame to the handling site may occur.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Fire may produce hazardous fumes.

#### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Wear protective gloves and eye protection, and stop the source of the leak or spill if possible. Isolate area of spill with dike, and/or add dry absorbent to prevent runoff from entering storm sewers and ditches which lead to waterways. Clean up and place in an appropriate container for disposal. Wash all contaminated clothing before use.

**LARGE SPILL:** Follow OSHA emergency response regulations and NIOSH recommendations. If possible, stop source of spill or release. Isolate the area of spill or release with dike to prevent runoff from entering storm sewers and ditches which lead to waterways. Clean up and place in an appropriate container for disposal. Wash all contaminated clothing before use.

## 7. HANDLING AND STORAGE

**HANDLING:** Avoid contact with eyes, skin, or clothing. Avoid breathing mist or vapor. Do not swallow. Wash hands thoroughly after handling. Do not eat, drink, or smoke in work areas. Use only with adequate ventilation.

**STORAGE:** Store in a cool, dry, well-ventilated area. Keep container closed when not in use. Containers of this material may be hazardous when emptied. Because emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in this data sheet must be observed.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **EXPOSURE GUIDELINES**

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)					
	EXPOSURE LIMITS				
Chemical Name	cal Name Type ppm		ppm	mg/m³	
Acetic Acid	OSHA PEL TWA STEL	TWA	10	25	
		15	37		
	A COULT IV	TWA	10	25	
	ACGIH TLV	STEL	15	37	
	0	TWA	NL	NL	
	Supplier OEL	STEL	NL	NL	
Sodium Hydroxide	OSHA PEL	TWA		2	
	Complian OF	TWA	NL	NL	
	Supplier OEL	STEL	NL	NL	

**ENGINEERING CONTROLS:** Good, general ventilation should be sufficient for most operations. Ten or more room air changes per hour containing a minimum of 15% fresh air is recommended.

## PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Safety glasses.

**SKIN:** Gloves impervious to the hazardous ingredients.

RESPIRATORY: If used under normal operating conditions and with adequate ventilation, respiratory equipment is not required.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Mild odor

**ODOR THRESHOLD:** Not Established

COLOR: Amber

**pH:** 4.65

FLASH POINT AND METHOD: > (200°F) CC FLAMMABLE LIMITS: Not Established

**AUTOIGNITION TEMPERATURE:** Not Established

VAPOR PRESSURE: Not Established VAPOR DENSITY: Not Established BOILING POINT: (212°F) to (369°F) FREEZING POINT: Not Established

THERMAL DECOMPOSITION: Not Established

**SOLUBILITY IN WATER: 100 %** 

PARTITION COEFFICIENT: N-OCTANOL/WATER: Not Established

**EVAPORATION RATE: Not Established** 

**DENSITY: Not Established** 

SPECIFIC GRAVITY: 1.075 at (60°F)

**Notes:** Water = 1.00

VISCOSITY: Not Established

(VOC): 1.75 lbs/gal USEPA Method 24

#### 10. STABILITY AND REACTIVITY

**REACTIVITY:** Yes

HAZARDOUS POLYMERIZATION: No

HAZARDOUS DECOMPOSITION PRODUCTS: Includes, but not limited to smoke, fumes, oxides of nitrogen, and oxides of

carbon.

**INCOMPATIBLE MATERIALS:** Avoid all potential sources of ignition and contact with strong oxidizers, strong acids, and strong bases.

## 11. TOXICOLOGICAL INFORMATION

## **ACUTE TOXICITY**

Chemical Name	ORAL LD <sub>50</sub>	DERMAL LD <sub>50</sub>	INHALATION LC <sub>50</sub>
Propylene Glycol Monobutyl Ether	2200 mg/kg [Rat]	3100 mg/kg [Rabbit]	
Acetic Acid	3310 to 3530 mg/kg [Rat]	1060 mg/kg [Rabbit]	5620 ppm [Mouse]
Proprietary - 10146	> 2000 mg/kg [Rat]	> 2000 mg/kg [Rabbit]	> 20 mg/L [Rat]
1.5% Isothiazolinone Mixture	5500 mg/kg [Rat]	> 2000 mg/kg [Rat]	

ORAL LD<sub>50</sub>: Not Established

REPRODUCTIVE TOXICITY: Contains less than 2% of a chemical suspected of damaging fertility or the unborn child.

#### 12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: Not Available BIOACCUMULATION/ACCUMULATION: Not Available CHEMICAL FATE INFORMATION: Not Available

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose materials associated with cleaning spills and/or leaks according to federal, state, and local regulations. If product is contaminated with other printing process products, consult appropriate federal, state, and local regulations to determine proper characterization of resultant mixture.

RCRA/EPA WASTE INFORMATION: None

# 14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)
PROPER SHIPPING NAME: Not Regulated

AIR (ICAO/IATA)

SHIPPING NAME: Not Regulated

VESSEL (IMO/IMDG)

SHIPPING NAME: Not Regulated

# 15. REGULATORY INFORMATION

## **UNITED STATES**

## SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

**313 REPORTABLE INGREDIENTS:** This product does not contain any ingredients subject to the reporting requirements of SARA Title III Section 313 at or above reporting thresholds, unless listed below.

#### 302/304 EMERGENCY PLANNING

**EMERGENCY PLAN:** This product does not contain any ingredients that are subject to the reporting requirements of SARA Title III Section 302.

## CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)

Chemical Name	Wt.%	CERCLA RQ
Acetic Acid	1 - 5	5,000
Sodium Hydroxide	< 2	1,000

## TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
Sodium Hydroxide	1310-73-2

TSCA STATUS: All components of this product are registered on the TSCA inventory.

#### **CLEAN AIR ACT**

40 CFR PART 68--- RISK MANAGEMENT FOR CHEMICAL ACCIDENT RELEASE PREVENTION: None

#### **CANADA**

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM): Class D2B Toxic Material DOMESTIC SUBSTANCE LIST (INVENTORY): All components of this product are registered on the DSL inventory.

## 16. OTHER INFORMATION


APPROVED BY: HRB TITLE: VP Technical Services

PREPARED BY: RAD - EHS Manager Date Revised: 01/02/2019 REVISION SUMMARY: This SDS replaces the 01/02/2019 SDS.

## **HMIS RATING**

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	В

# **NFPA CODES**



## MANUFACTURER DISCLAIMER:

The specific chemical identities of some ingredients in this mixture are considered proprietary information and trade secrets. As such they are witheld in accordance with CFR 1910.1200(i) of Title 29.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. Some information may be based on indirect test data.